

KARINCA 208

Battery Operated (Modular System)
Surgical Power Tools



Elevate Your Surgical Performance

Ergonomic Design

High Power and Reliability

Advanced Machining Technology

Li-ion Battery Technology

 hermann
müller





Hermann Müller Medizintechnik GmbH has the right to modify and develop the products declared in this catalogue and its production program. The weight and dimensional information given in our catalog are approximate values.

Copyright © Hermann Müller Medizintechnik GmbH All Right Reserved, Printed in Türkiye

HM-KA4023 – Edition (08 / 2024)

TABLE OF CONTENTS



11
DRILL ATTACHMENTS



12-13
SHANK DRILL BIT ATTACHMENTS



14-15
REAMER ATTACHMENT



16-17
ACETABULAR REAMER ATTACHMENT



18
QUICK - ACTION CHUCK



19
RECIPROCATING SAW ATTACHMENT



20-23
SAGITTAL SAW ATTACHMENT



24
STERNUM SAW ATTACHMENT



25
OSCILLATING SAW ATTACHMENT

26

CRANIAL PERFORATOR ATTACHMENT




27

CRANIAL BURR ATTACHMENT




28

ORTHOPEDIC SET



29

DRILL, SAGITTAL SET




30

DRILL SET




31

SAGITTAL SAW SET




32

RECIPROCATING SAW SET



33

STERNAL SAW SET



34

CARDIO VASCULAR SET



KARINCA 208

Battery Operated (Modular System)



KARINCA 208

- Light weight Karınca 208 provides efficient and reliable cutting performance with new generation powerful motor;
- One handpiece solution for reaming, high speed drilling with high torque performance;
- Lithium-ion battery technology provides consistent power during the operation;
- Easy handling and ergonomic design of Karınca 208 ensures reliable and better controlled operation results;
- Efficient torque for acetabular reaming;
- Karınca 208 is an innovative new generation power tool with high quality engineering materials;
- Providing efficiency with engineering solutions;
- Extended battery life;
- Comfortable ergonomic design;
- Easy attachment assembly;
- High speed drilling and oscillating.

- Less Weight, High Power
- Next Generation Cutting Technology
- New Generation Surgical Motor Technology
- Li-ion Battery Technology



Karınca 208 power box records all data about usage for technical service information. Moreover the system provides users to observe battery level without removing the power box. Karınca 208 can also provide information about battery process cycles like how many times the battery is half charged or fully charged and total operation time in hours, minutes, seconds as well.



Power box oled screen enables users to indicate battery capacity by pressing the test button.



Battery, motor and all electrical components are combined together and exempt from sterilization by aim of increasing life time of the device



“Mechanical structure of Karınca 208 Handpieces provides users non-restrictive washing and disinfection.”

BATTERY CHARGING UNITS



Karınca 208 power box records all data about usage for technical service information. Moreover the system provides users to observe battery level without removing the power box. Karınca 208 can also provide information about battery process cycles like how many times the battery is half charged or fully charged and total operation time in hours, minutes, seconds as well.



Power box oled screen enables users to indicate battery capacity by pressing the test button.



Battery, motor and all electronic components are combined together and exempt from sterilization by aim of increasing life time of the device



M208-210
Power box

- Powerful brushless DC motor technology
- Li-ion Battery Technology
- Battery capacity: 2.5 Ah
- Voltage: 14.8 Volts
- Integrated oled screen and audible alert notification
- Not autoclavable
- 75 x 61 x 160 mm / 465 g



M206-212
Autoclavable sterile funnel for aseptic battery loading

- Steam sterilisable
- 30 x 74 x 104 mm / 55 g



Sterile funnel



M206-226

Charger unit for 1 battery

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 130 x 250 x 130 mm / 1300 g



M206-227

Charger unit for 2 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A (x2)
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 230 x 250 x 130 mm / 2150 g



M206-229


Charger unit for 4 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A (x4)
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 430 x 250 x 130 mm / 3850 g

HANDPIECE



M208-200
Hexa - Function Handpiece
Dual trigger system for speed, direction
and oscillation control.
Steam sterilisable
Cannulated Ø 4 mm
77 x 133 x 215 mm / 990 g



Drill / reamer and sagittal / sternum options in one-handpiece



Forward, reverse and oscillation mode options provide versatile alternatives to the users.



Low / high speed options for both sagittal / sternum modes



DRILL ATTACHMENTS

M208-308

Drill attachment with keyed chuck

Ø4 mm Cannulated
 Ø 1.0 mm - 4.0 mm
 900 rpm / 4 Nm
 30 x 113 mm / 325 g



M8-473
 Chuck key
 for M208-308

M208-309

Drill attachment with keyed chuck

Ø4 mm Cannulated
 Ø 1.0 mm - 6.35 mm
 900 rpm / 4 Nm
 30 x 126 mm / 370 g



M7-250
 Chuck key
 for M208-309

M208-313

Drill attachment with hybrid chuck
 Both keyed and keyless operation

Ø4 mm Cannulated
 Ø 0.3 mm - 3 mm
 900 rpm / 4 Nm
 30 x 130 mm / 395 g




M7-253
 Chuck key
 for M208-313

M208-310

Drill attachment with hybrid chuck
 Both keyed and keyless operation


Ø4 mm Cannulated
 Ø 1.0 mm - 7.4 mm
 900 rpm / 4 Nm
 34 x 142 mm / 485 g



M7-252
 Chuck key
 for M208-310

DRILL BITS

Code	(Ø) Diameter mm	Length mm
M7-500	1.5	60
M7-501	2.0	100
M7-502	2.5	100
M7-503	2.7	100
M7-504	3.0	100
M7-505	3.2	100
M7-506	3.5	100
M7-507	4.0	110
M7-508	4.5	130
M7-509	5.0	160
M7-510	6.0	160






SHANK DRILL BIT ATTACHMENTS


M208-360

Attachment for SQUARE shank
900 rpm / 4 Nm
30 x 114 mm / 270 g



M208-361

Attachment for AO shank
900 rpm / 4 Nm
30 x 106 mm / 260 g



M208-362

Attachment for TRINKE shank
900 rpm / 4 Nm
30 x 104 mm / 270 g




SHANK DRILL BITS

Length mm	(Ø) Diameter mm	SQUARE	AO	TRINKE
38	1.5	M7-520	M7-540	M7-560
45	2.0	M7-521	M7-541	M7-561
53	2.5	M7-522	M7-542	M7-562
57	2.7	M7-523	M7-543	M7-563
57	3.0	M7-524	M7-544	M7-564
57	3.2	M7-525	M7-545	M7-565
65	3.5	M7-526	M7-546	M7-566
70	4.0	M7-527	M7-547	M7-567
70	4.5	M7-528	M7-548	M7-568
95	5.0	M7-529	M7-549	M7-569
120	6.0	M7-530	M7-550	M7-570

M103-375



Attachment for OSTEON shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 89 mm / 225 g


OSTEON

M103-376

Attachment for DHS shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 97 mm / 220 g


DHS

M103-377

Attachment for AO-PROTEK shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 85 mm / 260 g


AO-PROTEK

M103-378


Attachment for HUDSON shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 85 mm / 230 g


HUDSON

M103-379


Attachment for HARRIS shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 90 mm / 227 g


HARRIS

M103-380


Attachment for ZIMMER-HUDSON shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 90 mm / 235 g


ZIMMER-HUDSON

M103-381

Attachment for ZIMMER shank

 Ø4 mm Cannulated
 175 rpm / 20 Nm
 30 x 90 mm / 235 g


ZIMMER




REAMER ATTACHMENT

M103-330

Reamer attachment for wire and pin
 Cannulated Ø 4 mm
 175 rpm / 20 Nm
 30 x 104 mm / 310 g



DIN 58809



M7-905

Adaptor for AO-Protek shank
 Cannulated Ø 4 mm



DIN 58809

AO-PROTEK



M7-908

Adaptor for Hudson
 Cannulated Ø 4 mm



DIN 58809

HUDSON



M7-907

Adaptor for Harris
 Cannulated Ø 4 mm



DIN 58809

HARRIS



M7-906

Universal three-jaw chuck
 with key M7-250
 Max Ø 6.35 mm
 Cannulated Ø 4 mm



DIN 58809

DRILL




M7-250
 Chuck key
 for M7-906

REAMERS


Intramedullary reamers, flexible, with drilling heads		Guides, blunt			Guides, with drill tip		
Ø mm	Length 430 mm	Ø mm	Length 600 mm	Length 990 mm	Ø mm	Length 600 mm	Length 990 mm
5.5	M7-920						
6.0	M7-921						
6.5	M7-922	1.9	M7-960	M7-961	1.9	M7-962	
7.0	M7-923						
7.5	M7-924						
8.0	M7-925						
8.5	M7-926						
9.0	M7-927						
9.5	M7-928						
10.0	M7-929						
10.5	M7-930						
11.0	M7-931						
11.5	M7-932						
12.0	M7-933	3.4	M7-963	M7-964	3.4		M7-965
12.5	M7-934						
13.0	M7-935						
13.5	M7-936						
14.0	M7-937						
14.5	M7-938						
15.0	M7-939						
15.5	M7-940						
16.0	M7-941						
16.5	M7-942						
17.0	M7-943						
17.5	M7-944						
18.0	M7-945						
18.5	M7-946						
19.0	M7-947						

DIN 58809




ACETABULAR REAMER ATTACHMENT



M103-320
Acetabular reamer attachment
100 rpm / 35 Nm
30 x 120 mm / 380 g





M7-705
Adaptor for AO-Protek shaft




M7-706
Adaptor for DIN 58809 shaft



M7-707
Adaptor for Hudson shaft



M7-708
Universal three-jaw chuck
with key M7-250



ACETABULAR REAMER TOOLS



M7-709
 Shaft only,
 With Harris Connection
 for M7-750, M7-757



M7-789
 Movable protector case,
 Fits with all reamer shafts

Only Acetabular Reamer		M7-750	Ø 46 mm
		M7-751	Ø 48 mm
		M7-752	Ø 50 mm
		M7-753	Ø 52 mm
		M7-754	Ø 56 mm
		M7-755	Ø 60 mm
		M7-756	Ø 64 mm
		M7-757	Ø 68 mm



QUICK - ACTION CHUCK

(for K-wire operations)

M103-352

Quick - action chuck

Cannulated \varnothing 0.7 mm - 2.5 mm

700 rpm / 4 Nm

30 X 87 mm / 350 g


M103-353

Quick - action chuck

Cannulated \varnothing 1.5 mm - 4.0 mm

700 rpm / 4 Nm

30 X 87 mm / 350 g





RECIPROCATING SAW ATTACHMENT

M103-235
Reciprocating saw attachment
(Without saw blades)

High : 11.500 cpm / \longleftrightarrow 4 mm
Low : 10.000 cpm / \longleftrightarrow 4 mm
33 x 134 mm / 400 g



RECIPROCATING SAW BLADES

M103-236
Usable length: 62 mm
Width: 8 mm



M103-237
Usable length: 75 mm
Width: 13 mm



M103-238
Usable length: 60 mm
Width: 13 mm



M103-239
Usable length: 75 mm
Width: 13 mm





SAGITTAL SAW ATTACHMENT

M103-300
Sagittal saw attachment
(Without saw blades)

High : 11.500 cpm / $\angle 4^{\circ} 50'$
Low : 10.000 cpm / $\angle 4^{\circ} 50'$
62 x 111 mm / 460 g




M103-301
Sagittal saw long attachment
(Without saw blades)


High : 11.500 cpm / $\angle 4^{\circ} 50'$
Low : 10.000 cpm / $\angle 4^{\circ} 50'$
62 x 175 mm / 700 g




SAGITTAL SAW BLADES



M103-1110
Material Thickness : 0.4 mm
Cutting Thickness : 0.6 mm




M103-1111
Material Thickness : 0.4 mm
Cutting Thickness : 0.6 mm



M103-1112
Material Thickness : 0.4 mm
Cutting Thickness : 0.6 mm


M103-1113

Material Thickness : 0.4 mm
Cutting Thickness : 0.6 mm




M103-1114

Material Thickness : 0.4 mm
Cutting Thickness : 0.6 mm




M103-1115

Material Thickness : 0.6 mm
Cutting Thickness : 0.8 mm




M103-1116

Material Thickness : 0.6 mm
Cutting Thickness : 0.8 mm




M103-1117

Material Thickness : 0.6 mm
Cutting Thickness : 0.8 mm




M103-1118


Material Thickness : 1.19 mm




M103-1119
 Material Thickness: 1 mm




M103-1120
 Material Thickness: 1 mm




Material Thickness
M103-1121 1 mm
M103-1122 1.19 mm
M103-1123 1.27 mm
M103-1124 1.37 mm




Material Thickness
M103-1125 1.19 mm
M103-1126 1.27 mm
M103-1127 1.37 mm




Material Thickness
M103-1128 1 mm
M103-1129 1.19 mm
M103-1130 1.27 mm
M103-1131 1.37 mm
M103-1132 1.47 mm




Material Thickness
M103-1133 1 mm
M103-1134 1.19 mm
M103-1135 1.27 mm




Material Thickness
M103-1136 1.27 mm
M103-1137 1.37 mm




M103-1138
 Material Thickness: 1.27 mm




Material Thickness
M103-1139 1 mm
M103-1140 1.27 mm




Material Thickness
M103-1141 1 mm
M103-1142 1.19 mm
M103-1143 1.27 mm
M103-1144 1.37 mm
M103-1145 1.47 mm



M103-1146
 Material Thickness: 1.27 mm



M103-1147
 Material Thickness: 1.19 mm





STERNUM SAW ATTACHMENT

M103-240

Sternum saw attachment
(Without saw blade and guide)


High : 11.500 cpm / \leftrightarrow 4 mm
Low : 10.000 cpm / \leftrightarrow 4 mm
33 x 147 mm / 550 g



M103-715

Adult saw guide




Adult saw blade	Code	Length	Usable Length	Blade Thickness	Cutting Thickness
	M103-709	58 mm	35 mm	0.6 mm	1 mm
	M103-710	58 mm	35 mm	0.8 mm	1.2 mm

M103-716

Pediatric saw guide



Pediatric saw blade	Code	Length	Usable Length	Blade Thickness	Cutting Thickness
	M103-711	40 mm	18 mm	0.6 mm	0.6 mm
	M103-712	40 mm	18 mm	0.6 mm	0.8 mm



OSCILLATING SAW ATTACHMENT


(Re-operation)

M103-300
Sagittal saw attachment
(Without saw blades)


High : 11.500 cpm / \sphericalangle 4° 50'
Low : 10.000 cpm / \sphericalangle 4° 50'
62 x 111 mm / 460 g



BLADES *(for M103-300)*



Code	Length	Width	Thickness
M103-390	35 mm	25 mm	0.8 mm
M103-391	50 mm	40 mm	0.8 mm
M103-392	35 mm	75 mm	0.8 mm



CRANIAL PERFORATOR ATTACHMENT

(Dura Stop Perforator Attachment)

M208-250

Cranial perforator attachment
(without perforator)

900 rpm / 4 Nm
30 x 123 mm / 350 g



TREPANS

Hudson



M7-120 Ø 6/9 mm
23 x 92 mm / 116 g

- Skull perforator
- With step-down drilling
- Automatic dura stop
- No key needed

Hudson



M7-121 Ø 9/12 mm
23 x 92 mm / 120 g

Hudson



M7-122 Ø 12/15 mm
23 x 92 mm / 125 g



CRANIAL BURR ATTACHMENT

(Trauma Operations)

M103-255
Cranial burr attachment
Dura guard, rotatable
12.500 rpm
35 x 118 mm / 320 g



CRANIAL BURR TOOLS




M103-203
Tapered cutter



M103-332
Dura guard, rotatable

ORTHOPEDIC SET



M208-1001 Orthopedic Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M208-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-250	Chuck key
M103-300	Sagittal saw attachment
M103-1146	Sagittal saw blade
M103-320	Acetabular reamer attachment
M103-330	Reamer attachment for wire and pin
M103-352	Quick - action chuck
M103-235	Reciprocating saw attachment
M103-239	Reciprocating saw blades
M14-816	Spray oil
K3-2723-S5	Basket with silicone fixations 546 x 259 x 114 mm
K6-022	Standard Model Container 600 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816
Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.




K6-022
Standard Model Container
Box (non perforated) Lid perforated
600 x 285 x 155 mm



K3-2723-S5
Basket with silicone fixations
546 x 259 x 114 mm

DRILL, SAGITTAL SET



M208-1003 Drill, Sagittal Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M208-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-250	Chuck key
M103-300	Sagittal saw attachment
M103-1146	Sagittal saw blade
M14-816	Spray oil
K3-2731-S6	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816

Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



K6-252


Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S6

Basket with silicone fixations
411 x 259 x 114 mm

DRILL SET



M208-1005 Drill Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M208-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key
M14-816	Spray oil
K3-2731-S7	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816
Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.




K6-252
Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S7
Basket with silicone fixations
411 x 259 x 114 mm

SAGITTAL SAW SET



M208-1007 Sagittal Saw Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-300	Sagittal saw attachment
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M14-816	Spray oil
K3-2731-S8	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816
Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.




K6-252
Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S8
Basket with silicone fixations
411 x 259 x 114 mm

RECIPROCATING SAW SET



M208-1013 Reciprocating Saw Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-235	Reciprocating saw attachment
M103-237	Reciprocating saw blades
M103-239	Reciprocating saw blades
M14-816	Spray oil
K3-2731-S9	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816
Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.




K6-252
Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S9
Basket with silicone fixations
411 x 259 x 114 mm

STERNAL SAW SET



M208-1009 Sternal Saw Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-240	Sternum saw attachment
M103-715	Sternum saw guide
M103-710	Sternum saw blade
M14-816	Spray oil
K3-2731-S10	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816

Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



K6-252


Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S10

Basket with silicone fixations
411 x 259 x 114 mm

CARDIO VASCULAR SET



M208-1011 Cardio Vascular Set

Set Content

M208-200	Hexa - Function Handpiece
M208-210	Power box
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-240	Sternum saw attachment
M103-715	Sternum saw guide
M103-710	Sternum saw blade
M103-300	Sagittal saw attachment
M103-392	Re-Operation saw blade
M14-816	Spray oil
K3-2731-S11	Basket with silicone fixations 411 x 259 x 114 mm
K6-252	Standard Model Container 475 x 285 x 155 mm



M208-210
Power box



M206-226
Charger unit for 1 battery



M14-816
Spray oil, for motor and additional pcs.
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



K6-252
Standard Model Container
Box (non perforated) Lid perforated
475 x 285 x 155 mm



K3-2731-S11
Basket with silicone fixations
411 x 259 x 114 mm

CONTAINER SET FOR STERILIZATION



K8-123V
Lid, B3 Barrier Model
585 x 285 mm

K6-107
Container, non perforated
600 x 272 x 138 mm



K8-343V
Lid, B3 Barrier Model
460 x 285 mm


K6-307
Container, non perforated
475 x 272 x 138 mm



K3-742
Basket made from
stainless steel sheet (with stand)
540 x 253 x 80 mm




K3-750
Basket made from
stainless steel sheet (with stand)
405 x 253 x 80 mm




K2-462
Wire basket
540 x 245 x 70 mm




K2-1502
Wire basket
405 x 245 x 70 mm



K2-526
Silicone mat
520 x 230 mm



K2-524
Silicone mat
380 x 230 mm



code	color
K2-700	Red
K2-701	Blue
K2-702	Green
K2-703	Yellow
K2-704	Grey
K2-705	Black
K2-706	Pink
K2-707	Brown

Identification labels (aluminium)
 Coloured identification labels
 Engraved to your specifications
 Maximum 16 letters



K2-673
 Labels (paper)
 100 pcs. With indicator.
 For small size and special
 containers



K2-672
 Labels (paper)
 100 pcs. With indicator.
 For full and half size containers



K1-900
 Modular Auto Lock Mechanism (2 Pcs)



K2-660 red
 Security seal
 100 pcs made of plastic



K2-740
 Single use paper
 filter 100 pcs
 with indicator.
 Aygun mark.

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
K1-900	37	M7-510	11	M7-757	17	M103-239	19	M103-1130	22
K2-462	36	M7-520	12	M7-789	17	M103-240	24	M103-1131	22
K2-524	36	M7-521	12	M7-905	14	M103-255	27	M103-1132	22
K2-526	36	M7-522	12	M7-906	14	M103-300	20, 25	M103-1133	22
K2-660	37	M7-523	12	M7-907	14	M103-301	20	M103-1134	22
K2-672	37	M7-524	12	M7-908	14	M103-320	16	M103-1135	22
K2-673	37	M7-525	12	M7-920	15	M103-330	14	M103-1136	23
K2-700	37	M7-526	12	M7-921	15	M103-332	27	M103-1137	23
K2-701	37	M7-527	12	M7-922	15	M103-352	18, 19	M103-1138	23
K2-702	37	M7-528	12	M7-923	15	M103-353	18	M103-1139	23
K2-703	37	M7-529	12	M7-924	15	M103-375	13	M103-1140	23
K2-704	37	M7-530	12	M7-925	15	M103-376	13	M103-1141	23
K2-705	37	M7-540	12	M7-926	15	M103-377	13	M103-1142	23
K2-706	37	M7-541	12	M7-927	15	M103-378	13	M103-1143	23
K2-707	37	M7-542	12	M7-928	15	M103-379	13	M103-1144	23
K2-740	37	M7-543	12	M7-929	15	M103-380	13	M103-1145	23
K2-1502	36	M7-544	12	M7-930	15	M103-381	13	M103-1146	23
K3-742	36	M7-545	12	M7-931	15	M103-390	25	M103-1147	23
K3-750	36	M7-546	12	M7-932	15	M103-391	25	M206-212	8
K3-2723-S5	28	M7-547	12	M7-933	15	M103-392	25	M206-226	9
K3-2731-S6	29	M7-548	12	M7-934	15	M103-709	24	M206-227	9
K3-2731-S7	30	M7-549	12	M7-935	15	M103-710	24	M206-229	9
K3-2731-S8	31	M7-550	12	M7-936	15	M103-711	24	M208-200	10
K3-2731-S9	32	M7-560	12	M7-937	15	M103-712	24	M208-210	8
K3-2731-S10	33	M7-561	12	M7-938	15	M103-715	24	M208-250	26
K3-2731-S11	34	M7-562	12	M7-939	15	M103-716	24	M208-308	11
K6-022	28	M7-563	12	M7-940	15	M103-1110	20	M208-309	11
K6-252	29	M7-564	12	M7-941	15	M103-1111	20	M208-310	11
K8-123V	36	M7-565	12	M7-942	15	M103-1112	20	M208-313	11
K8-343V	36	M7-566	12	M7-943	15	M103-1113	21	M208-360	12
M7-120	26	M7-567	12	M7-944	15	M103-1114	21	M208-361	12
M7-121	26	M7-568	12	M7-945	15	M103-1115	21	M208-362	12
M7-122	26	M7-569	12	M7-946	15	M103-1116	21	M208-1001	28
M7-250	11, 14	M7-570	12	M7-947	15	M103-1117	21	M208-1003	29
M7-252	11	M7-705	16	M7-960	15	M103-1118	21	M208-1005	30
M7-253	11	M7-706	16	M7-961	15	M103-1119	22	M208-1007	31
M7-500	11	M7-707	16	M7-962	15	M103-1120	22	M208-1009	33
M7-501	11	M7-708	16	M7-963	15	M103-1121	22	M208-1011	34
M7-502	11	M7-709	17	M7-964	15	M103-1122	22	M208-1013	32
M7-503	11	M7-750	17	M7-965	15	M103-1123	22		
M7-504	11	M7-751	17	M8-473	11	M103-1124	22		
M7-505	11	M7-752	17	M14-816	28, 29	M103-1125	22		
M7-506	11	M7-753	17	M103-203	27	M103-1126	22		
M7-507	11	M7-754	17	M103-236	19	M103-1127	22		
M7-508	11	M7-755	17	M103-237	19	M103-1128	22		
M7-509	11	M7-756	17	M103-238	19	M103-1129	22		



Headquarter

Hermann Müller Medizintechnik GmbH
Dr. Karl-Storz-Strasse 3 •
78532 Tuttlingen • Germany

T : +49 (0) 7461 4125
F : +49 (0) 7461 79263

Factory

Kerimbeyosb Mah.
Yaşardođu Cad. No: 76/1
55330, Tekkeköy/Samsun/Türkiye

www.hermannmuller.com
info@hermannmuller.com

All rights reserved. No part of this catalog may be reproduced, copied, or published in any form without the written permission of Hermann Müller.