

Sterilization Container Systems



Invest in your practice
Invest in your future



Intended only for USA







Hermann Müller Medizintechnik GmbH has the right to modify and develop the products declared in this catalogue and its production program. The weight and dimensional information given in our catalog are approximate values.

Copyright © Hermann Müller Medizintechnik GmbH All Right Reserved, Printed in Türkiye

HM-KT-K001/US Rev.02 07/2024

Hermann Müller

Sterilization Containers Systems

Invest in your practice,
Invest in your future



A leading manufacturer of Medical Devices Industry for over 36 years.

OUR HISTORY

Hermann Müller stands as a preeminent figure in Global Medical Industry. Our legacy began with a vision to advance healthcare through innovative technology and has since evolved into a leading establishment renowned for excellence in medical manufacturing.

At our state-of-the-art facility located in the Samsun Central Organized Industrial Zone, we specialize in the production of Sterilization Container Systems, Surgical Motor Systems and Medical Illumination Systems. Our commitment to continuous research and development, coupled with our expanding production capacity, enables us to meet a significant portion of Global medical needs.

Hermann Müller is synonymous with international standards of manufacturing. Our products not only meet but exceed global benchmarks, which positions us competitively in the

international market. The cornerstone of our success is our integrated quality management system, a testament to our specialization and expertise in the medical field.

Our role extends beyond manufacturing; Hermann Müller is also at the forefront of design and innovation. Our ongoing product development efforts have resulted in an increasing number of patents, showcasing our commitment to pioneering advancements in medical technology. Furthermore, Hermann Müller takes pride in contributing to the career development of the next generation, positioning itself as an educational hub in the industry.

Hermann Müller journey over the past decades is not just a chronicle of business growth but a testament to our dedication to enhancing healthcare through innovation, quality, and education.

CONTENT

| | | |
|---------|---|--|
| | | STERILIZATION CONTAINERS |
| 6 - 8 | — | INTRODUCTION |
| 9 - 16 | — | STANDARD PLUS MODEL |
| 17 - 22 | — | WINDOW MODEL |
| 23 - 25 | — | SPECIAL MODELS |
| | | BASKETS |
| 28 - 29 | — | PERFORATED TRAYS |
| 30 - 32 | — | WIRE MESH |
| | | ACCESSORIES |
| 34 - 37 | — | MODULAR AUTO LOCK MECHANISM |
| 38 - 48 | — | LABELS PAPER FILTER & FILTER RETAINER SECURITY SEAL SILICONE MESH MATS SILICONE GASKET SILICONE FIXATIONS SYSTEM RAILS HOLDERS & DIVIDERS & FIXATION CLAMP |



Hermann Müller Sterilization Container System





Locking mechanism with a double spring system and an adjustable tension feature, it ensures a better grip and performs a “single-step” movement

Face plates are machined as single pieces providing higher durability

Heat-sensitive modular auto-lock mechanism offers a more sustainable and safer result for the sterilization process

Wide and ergonomically designed silicone coated handles enable easy and safe handling

Grow Practice, Gain Happiness

Sterilization Container System



Simplicity at its finest

Optimize your
sterilization routine



Standard Plus

STERILIZATION CONTAINER SYSTEMS

Hermann Müller is excited to present the Standard Plus Containers, a new upgraded version to our range of container systems. These containers combine robust design with enhanced functionality for medical use.


Built for durability, each container is made from strong materials and offers a choice of eight colors for the covers. They are compatible with single-use paper filters, adding to their versatility in medical settings.

The Standard Plus Containers come in five different sizes, ensuring a fit for various requirements. Their standout feature is the easy-to-use locking mechanism, made from

high-quality aluminum with double spring system and adjustable tension, providing flexibility and a secure grip.

For added customization, the containers, made from 0.079 inch thick special alloy aluminum, are available with or without perforation. This model is designed to be both practical and user-friendly, making it a valuable addition to any medical environment.

Experience the reliability and advanced design of Hermann Müller Standard Plus Containers, where simplicity meets excellence.









 Different Lids
Colors



Two type bottom options

Standard Plus

STERILIZATION CONTAINER SYSTEMS

| Box Type | | Lid type | Dimension Size | | | | |
|---|---|---|---|---|--|---|---|
| Bottom Perforated | Bottom Non Perforated | Perforated | 1/2 Half Size | 3/4 Quarter Size | 1/1 Full Size | Extra Long Size | Extra Large Size |
|  |  |  |  |  |  |  |  |




Standard Plus

STERILIZATION CONTAINER SYSTEMS

1/1

Full Size



Different Lids Colors



Non Perforated



Perforated



Perforated Lids



Safety Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-105 | 23.66 x 10.71 x 3.78 in 21.69 x 10.28 x 3.75 in |
| K6-106 | 23.66 x 10.71 x 4.57 in 21.69 x 10.28 x 4.38 in |
| K6-107 | 23.66 x 10.71 x 5.43 in 21.69 x 10.28 x 5.25 in |
| K6-108 | 23.66 x 10.71 x 7.48 in 21.69 x 10.28 x 7.30 in |
| K6-109 | 23.66 x 10.71 x 9.25 in 21.69 x 10.28 x 9.07 in |

| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-100 | 23.66 x 10.71 x 3.94 in 21.69 x 10.28 x 3.17 in |
| K6-101 | 23.66 x 10.71 x 4.57 in 21.38 x 10.16 x 3.80 in |
| K6-102 | 23.66 x 10.71 x 5.43 in 21.38 x 10.16 x 4.66 in |
| K6-103 | 23.66 x 10.71 x 7.48 in 21.38 x 10.16 x 6.71 in |
| K6-104 | 23.66 x 10.71 x 9.25 in 21.38 x 10.16 x 8.48 in |

| Colors | Code |
|--------|---------|
| Grey | K6-3120 |
| Yellow | K6-3121 |
| Green | K6-3122 |
| Blue | K6-3123 |
| Red | K6-3124 |
| Black | K6-3125 |
| Purple | K6-3126 |
| Bronze | K6-3127 |

Dimension: 23.07 x 11.22 in

| Colors | Code |
|--------|---------|
| Grey | K6-3230 |
| Yellow | K6-3231 |
| Green | K6-3232 |
| Blue | K6-3233 |
| Red | K6-3234 |
| Black | K6-3235 |
| Purple | K6-3236 |
| Bronze | K6-3237 |


Dimension: 23.30 x 11.34 in

Standard Plus

STERILIZATION CONTAINER SYSTEMS



3/4
Quarter Size



Different Lids
Colors



Non Perforated



Perforated

Perforated Lids



Safety Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-305 | 18.78 x 10.79 x 3.95 in 16.81 x 10.24 x 3.75 in |
| K6-306 | 18.78 x 10.79 x 4.57 in 16.81 x 10.24 x 4.38 in |
| K6-307 | 18.78 x 10.79 x 5.43 in 16.81 x 10.24 x 5.25 in |
| K6-308 | 18.78 x 10.79 x 7.28 in 16.81 x 10.24 x 7.10 in |

| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-300 | 18.78 x 10.79 x 3.94 in 16.61 x 10.16 x 3.17 in |
| K6-301 | 18.78 x 10.79 x 4.57 in 16.61 x 10.16 x 3.80 in |
| K6-302 | 18.78 x 10.79 x 5.43 in 16.61 x 10.16 x 4.66 in |
| K6-303 | 18.78 x 10.79 x 7.28 in 16.61 x 10.16 x 6.51 in |

| Colors | Code |
|--------|---------|
| Grey | K6-3340 |
| Yellow | K6-3341 |
| Green | K6-3342 |
| Blue | K6-3343 |
| Red | K6-3344 |
| Black | K6-3345 |
| Purple | K6-3346 |
| Bronze | K6-3347 |

| Colors | Code |
|--------|---------|
| Grey | K6-3410 |
| Yellow | K6-3411 |
| Green | K6-3412 |
| Blue | K6-3413 |
| Red | K6-3414 |
| Black | K6-3415 |
| Purple | K6-3416 |
| Bronze | K6-3417 |

Dimension: 18.19 x 11.22 in

Dimension: 18.30 x 11.34 in

Standard Plus

STERILIZATION CONTAINER SYSTEMS

1/2

Half Size



Different Lids Colors





Non Perforated



Perforated



Perforated Lids



Safety Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-605 | 12.17 x 10.71 x 3.94 in 10.20 x 10.24 x 3.75 in |
| K6-606 | 12.17 x 10.71 x 4.57 in 10.20 x 10.24 x 4.38 in |
| K6-607 | 12.17 x 10.71 x 5.43 in 10.20 x 10.24 x 5.25 in |
| K6-608 | 12.17 x 10.71 x 7.28 in 10.20 x 10.24 x 7.30 in |
| K6-609 | 12.17 x 10.71 x 9.25 in 10.20 x 10.24 x 9.07 in |

| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-600 | 12.17 x 10.71 x 3.94 in 10.20 x 10.24 x 3.17 in |
| K6-601 | 12.17 x 10.71 x 4.57 in 10.20 x 10.24 x 3.80 in |
| K6-602 | 12.17 x 10.71 x 5.43 in 10.20 x 10.24 x 4.66 in |
| K6-603 | 12.17 x 10.71 x 7.28 in 10.20 x 10.24 x 6.71 in |
| K6-604 | 12.17 x 10.71 x 9.25 in 10.20 x 10.24 x 8.48 in |

| Colors | Code |
|--------|---------|
| Grey | K6-3630 |
| Yellow | K6-3631 |
| Green | K6-3632 |
| Blue | K6-3633 |
| Red | K6-3634 |
| Black | K6-3635 |
| Purple | K6-3636 |
| Bronze | K6-3637 |

Dimension: 11.61 x 11.02 in

| Colors | Code |
|--------|---------|
| Grey | K6-3700 |
| Yellow | K6-3701 |
| Green | K6-3702 |
| Blue | K6-3703 |
| Red | K6-3704 |
| Black | K6-3705 |
| Purple | K6-3706 |
| Bronze | K6-3707 |


Dimension: 11.62 x 11.22 in

Standard Plus

STERILIZATION CONTAINER SYSTEMS



Extra Long Size



Different Lids Colors



Non Perforated



Perforated



Perforated Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-2005 | 28.54 x 10.71 x 5.00 in 26.50 x 10.31 x 4.81 in |
| K6-2007 | 28.54 x 10.71 x 5.28 in 26.50 x 10.31 x 5.09 in |
| K6-2006 | 28.54 x 10.71 x 7.52 in 26.50 x 10.31 x 7.28 in |

| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-2000 | 28.54 x 10.83 x 5.00 in 26.38 x 10.24 x 4.33 in |
| K6-2002 | 28.54 x 10.83 x 5.28 in 26.38 x 10.24 x 4.61 in |
| K6-2001 | 28.54 x 10.83 x 7.52 in 26.38 x 10.24 x 6.81 in |


| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-3370 | Red | K6-3374 |
| Yellow | K6-3371 | Black | K6-3375 |
| Green | K6-3372 | Purple | K6-3376 |
| Blue | K6-3373 | Bronze | K6-3377 |

Dimension: 27.95 x 11.22 in

Standard Plus

STERILIZATION CONTAINER SYSTEMS

Extra Large Size




Different Lids Colors



Non Perforated



Perforated



Perforated Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-402 | 23.46 x 14.21 x 4.13 in 21.50 x 13.82 x 3.95 in |
| K6-403 | 23.46 x 14.21 x 6.57 in 21.50 x 13.82 x 6.39 in |

| Code | Outside Dimension Inside Dimension L x W x H |
|--------|--|
| K6-400 | 23.46 x 14.21 x 4.13 in 21.50 x 13.82 x 3.36 in |
| K6-401 | 23.46 x 14.21 x 6.57 in 21.50 x 13.82 x 5.80 in |

| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-3326 | Red | K6-3330 |
| Yellow | K6-3327 | Black | K6-3331 |
| Green | K6-3328 | Purple | K6-3315 |
| Blue | K6-3329 | Bronze | K6-3316 |

Dimension: 22.99 x 14.57 in

Transparency is safety

A Clear View to Secure
Sterilization



Window






STERILIZATION CONTAINER SYSTEMS


The Hermann Müller Window Model stands out in our patented sterilization container range, uniquely characterized by its innovative windowed lid. This key feature allows for easy visual inspection of the content without the need to open the lid, thus enhancing user convenience and safety.

The window is crafted from high-performance PPSU transparent material, ensuring resistance to high temperatures, impacts, scratches, chemicals, and more. It's designed to withstand the rigors of medical environments while providing clear visibility. The container's lid ensures exceptional tightness, thanks to its specialized assembly method and integrated sealing system.

As this model doesn't include a filtering mechanism in the lid, it features a perforated bottom, suitable for use with single-use paper filters. This design choice ensures adequate airflow and steam penetration during sterilization, aided by a standard wire base inside the container.

Our Window Model Sterilization Container Systems are available in three different sizes, each tailored to accommodate specific baskets and accessories. The Window Model represents our dedication to merging innovative design with practical functionality, making it an essential addition to medical settings seeking efficiency and reliability.


| Box Type | Lid type | Dimension Size | | |
|--|---|--|---|--|
| Bottom Perforated  | Window  | 1/2 Half Size  | 3/4 Quarter Size  | 1/1 Full Size  |



Window

STERILIZATION CONTAINER SYSTEMS

 Different Lids
Colors




Window

STERILIZATION CONTAINER SYSTEMS

1/1

Full Size



Different Lids Colors



Perforated



Window Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-100D | 23.62 x 10.71 x 4.53 in 21.69 x 10.28 x 2.80 in |
| K6-101D | 23.62 x 10.71 x 5.16 in 21.69 x 10.28 x 3.43 in |
| K6-102D | 23.62 x 10.71 x 6.02 in 21.69 x 10.28 x 4.29 in |
| K6-103D | 23.62 x 10.71 x 8.07 in 21.38 x 10.16 x 6.34 in |
| K6-104D | 23.62 x 10.71 x 9.84 in 21.69 x 10.28 x 8.11 in |


| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-120D | Red | K6-124D |
| Yellow | K6-121D | Black | K6-125D |
| Green | K6-122D | Purple | K6-126D |
| Blue | K6-123D | Bronze | K6-127D |

Dimension: 23.70 x 11.22 in



3/4

Quarter Size




Different Lids
Colors



Perforated



Window Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-300D | 18.70 x 10.79 x 4.53 in 16.81 x 10.24 x 2.80 in |
| K6-301D | 18.70 x 10.79 x 5.16 in 16.81 x 10.24 x 3.43 in |
| K6-302D | 18.70 x 10.79 x 6.02 in 16.81 x 10.24 x 4.29 in |
| K6-303D | 18.70 x 10.79 x 7.87 in 16.81 x 10.24 x 6.14 in |

| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-340D | Red | K6-344D |
| Yellow | K6-341D | Black | K6-345D |
| Green | K6-342D | Purple | K6-346D |
| Blue | K6-343D | Bronze | K6-347D |

Dimension: 18.74 x 11.22 in

Window

STERILIZATION CONTAINER SYSTEMS

1/2

Half Size



Different Lids
Colors



Perforated



Window Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-600D | 12.20 x 10.71 x 4.53 in 10.20 x 10.24 x 2.80 in |
| K6-601D | 12.20 x 10.71 x 5.16 in 10.20 x 10.24 x 3.43 in |
| K6-602D | 12.20 x 10.71 x 6.02 in 10.20 x 10.24 x 4.29 in |
| K6-603D | 12.20 x 10.71 x 8.07 in 10.20 x 10.24 x 6.34 in |
| K6-604D | 12.20 x 10.71 x 9.84 in 10.20 x 10.24 x 8.11 in |

| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-630D | Red | K6-634D |
| Yellow | K6-631D | Black | K6-635D |
| Green | K6-632D | Purple | K6-636D |
| Blue | K6-633D | Bronze | K6-637D |

Dimension: 12.09 x 11.02 in

Advanced sterilization for dental and surgical needs



Large Dental

STERILIZATION CONTAINER SYSTEMS



Different Lids
Colors



Non Perforated



Perforated Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-1665 | 15,06 x 9,63 x 4,02 in 13,07 x 9,13 x 3,86 in |
| K6-1666 | 15,08 x 9,63 x 5,16 in 13,07 x 9,13 x 4,37 in |
| K6-1667 | 23,62 x 9,62 x 6,02 in 13,07 x 9,13 x 5,20 in |

| Colors | Code | Colors | Code |
|--------|---------|--------|---------|
| Grey | K6-1680 | Red | K6-1684 |
| Yellow | K6-1681 | Black | K6-1685 |
| Green | K6-1682 | Purple | K6-1686 |
| Blue | K6-1683 | Bronze | K6-1687 |

Dimension: 14,47 x 9,98 in

Flat Model

STERILIZATION CONTAINER SYSTEMS




Different Lids
Colors



Non Perforated



Perforated

Perforated Lids



Safety Lids



| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-1775 | 11,75 x 10,73 x 2,42 in 10,12 x 10,08 x 2,17 in |
| K6-1776 | 11,74 x 10,65 x 2,72 in 10,12 x 10,08 x 2,52 |

| Code | Outside Dimension Inside Dimension L x W x H |
|---------|--|
| K6-1770 | 11,59 x 10,69 x 2,26 in 10,12 x 10,08 x 1,57 in |
| K6-1771 | 11,67 x 10,73 x 2,69 in 10,12 x 10,08 x 2,01 in |












| Colors | Code |
|--------|---------|
| Grey | K6-1780 |
| Yellow | K6-1781 |
| Green | K6-1782 |
| Blue | K6-1783 |
| Red | K6-1784 |
| Black | K6-1785 |
| Purple | K6-1786 |
| Bronze | K6-1787 |

| Colors | Code |
|--------|---------|
| Grey | K6-1418 |
| Yellow | K6-1419 |
| Green | K6-1420 |
| Blue | K6-1421 |
| Red | K6-1422 |
| Black | K6-1423 |
| Purple | K6-1424 |
| Bronze | K6-1425 |


Dimension: 11,59 x 11,04 in

Dimension: 11,7 x 11,23 in

Baskets are used for organization of various types of medical equipment (such as surgical instruments, orthopedic instruments and other medical devices) and for set-up, washing. Baskets also make it easier to place and remove the medical equipment to and from the container. The wire base is also primarily used for models with perforations at the bottom to prevent the medical instruments loaded inside from clogging the perforations.

| Baskets | Box Type | Lid Type | Box & Lid | Compatibility With Main Models | | | | |
|------------------|---|---|---|---|---|---|---|---|
| Perforated Trays |  |  |  |  |  |  |  |  |
| Wire Mesh |  |  |  | 1/2 Half Size | 3/4 Quarter Size | 1/1 Full Size | Extra Long Size | Extra Large Size |

Perforated Tray 0.16 x 0.16 in



Wire Mesh 0.16 x 0.16 in




Safe, secure, sturdy Protecting your instruments every time





Our wire mesh and perforated sheet baskets can be manufactured in any size.





Please contact for detailed information.







Perforated Trays








|  Box Stand Height: 0.39 in | |  Lid | |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-740 | 21.18 x 9.92 x 1.57 in | K3-760 | 21.35 x 10.08 x 0.61 in |
| K3-741 | 21.18 x 9.92 x 2.36 in | | |
| K3-742 | 21.18 x 9.92 x 3.15 in | | |
| K3-743 | 21.18 x 9.92 x 4.33 in | | |

|  Box Stand Height: 0.39 in | |  Lid | |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-744 | 19.09 x 9.96 x 1.57 in | K3-761 | 19.17 x 10.08 x 0.55 in |
| K3-745 | 19.09 x 9.96 x 2.36 in | | |
| K3-746 | 19.09 x 9.96 x 3.15 in | | |
| K3-747 | 19.09 x 9.96 x 4.33 in | | |





|  Box Stand Height: 0.39 in | |  Lid | |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-748 | 15.87 x 9.92 x 1.57 in | K3-762 | 16.02 x 10.08 x 0.55 in |
| K3-749 | 15.87 x 9.92 x 2.36 in | | |
| K3-750 | 15.87 x 9.92 x 3.15 in | | |
| K3-751 | 15.87 x 9.92 x 4.33 in | | |



|  Box Stand Height: 0.39 in | |  Lid | |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-752 | 9.61 x 9.96 x 1.57 in | K3-763 | 9.65 x 9.96 x 0.67 in |
| K3-753 | 9.61 x 9.96 x 2.36 in | | |
| K3-754 | 9.61 x 9.96 x 3.15 in | | |
| K3-755 | 9.61 x 9.96 x 4.33 in | | |





Perforated Trays





FOR EXTRA LARGE
Standard Plus


FOR EXTRA LONG
Standard Plus






|  | Box Stand Height: 0.39 in |  | Lid |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-705 | 20.98 x 13.41 x 1.57 in | K3-709 | 21.10 x 13.50 x 0.60 in |
| K3-706 | 20.98 x 13.41 x 2.36 in | | |
| K3-707 | 20.98 x 13.41 x 3.15 in | | |
| K3-708 | 21.00 x 13.41 x 3.94 in | | |

|  | Box Stand Height: 0.39 in |  | Lid |
|--|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K3-711 | 26.18 x 9.96 x 1.57 in | K3-710 | 26.26 x 10.08 x 0.61 in |
| K3-712 | 26.18 x 9.96 x 2.36 in | | |
| K3-713 | 26.18 x 9.96 x 3.15 in | | |
| K3-714 | 26.18 x 9.96 x 3.94 in | | |



STANDS




| Code | Height |
|--------|---------|
| K3-767 | 0.79 in |


| Code | Height |
|--------|---------|
| K3-768 | 0.39 in |

| Code | Height |
|--------|---------|
| K3-766 | 0.20 in |



Wire Mesh



| Box | | Lid | |
|--------|-----------------------------|---------|-----------------------------|
| | | | |
| | | | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-460 | 21.10 x 9.78 x 1.18 in | K3-1014 | 20.33 x 9.64 x 0.67 in |
| K2-461 | 21.10 x 9.78 x 1.97 in | | |
| K2-462 | 21.10 x 9.78 x 2.76 in | | |
| K2-463 | 21.10 x 9.78 x 3.94 in | | |

| Box | | Lid | |
|--------|-----------------------------|---------|-----------------------------|
| | | | |
| | | | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-450 | 18.98 x 9.76 x 1.18 in | K3-1024 | 18.01 x 9.64 x 0.67 in |
| K2-451 | 18.98 x 9.76 x 1.97 in | | |
| K2-452 | 18.98 x 9.76 x 2.76 in | | |
| K2-453 | 18.98 x 9.76 x 3.94 in | | |




| Box | | Lid | |
|---------|-----------------------------|---------|-----------------------------|
| | | | |
| | | | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-1500 | 16.00 x 9.74 x 1.18 in | K3-1034 | 15.33 x 9.59 x 0.67 in |
| K2-1501 | 16.00 x 9.74 x 1.97 in | | |
| K2-1502 | 16.00 x 9.74 x 2.76 in | | |
| K2-1503 | 16.00 x 9.74 x 3.94 in | | |



| Box | | Lid | |
|--------|-----------------------------|---------|-----------------------------|
| | | | |
| | | | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-490 | 9.67 x 9.61 x 1.18 in | K3-1045 | 8.85 x 8.85 x 0.43 in |
| K2-491 | 9.67 x 9.61 x 1.97 in | | |
| K2-492 | 9.67 x 9.61 x 2.76 in | | |
| K2-493 | 9.67 x 9.61 x 3.94 in | | |



Wire Mesh



FOR EXTRA LARGE
Standard Plus





FOR EXTRA LONG
Standard Plus

| Box | | Lid | |
|---|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-1701 | 20.98 x 13.27 x 1.97 in | K3-1707 | 20.19 x 13.15 x 0.67 in |
| K2-1702 | 20.98 x 13.27 x 2.76 in | | |
| K2-1703 | 20.98 x 13.27 x 3.94 in | | |

| Box | | Lid | |
|--|-----------------------------|---|-----------------------------|
|  | |  | |
| Code | Outside Dimension L x W x H | Code | Outside Dimension L x W x H |
| K2-301 | 26.18 x 9.84 x 1.97 in | K3-307 | 25.59 x 9.64 x 0.67 in |
| K2-302 | 26.18 x 9.84 x 2.76 in | | |
| K2-303 | 26.18 x 9.84 x 3.94 in | | |

WIRE BASE



| Code | Outside Dimension L x W x H |
|--------|-----------------------------|
| K2-440 | 21.14 x 9.84 x 1.08 in |








| Code | Outside Dimension L x W x H |
|---------|-----------------------------|
| K2-1522 | 15.94 x 9.84 x 1.06 in |



| Code | Outside Dimension L x W x H |
|--------|-----------------------------|
| K2-482 | 9.84 x 9.84 x 1.06 in |

Wire Mesh



Accessories




MODULAR AUTO LOCK MECHANISM

What Is Auto Lock Mechanism

Introducing Hermann Müller latest innovation: a patented modular auto lock mechanism, skillfully designed by our R&D team to enhance sterilization control. This system, responsive to temperature changes, is versatile and well-suited for a range of container systems, particularly for use in steam sterilizers.

A standout feature of our locking mechanism is its reusability, serving as a sustainable alternative to traditional disposable plastic seal. It can be used independently or in conjunction with safety seals, offering flexibility and enhanced security.



Code

K1-900 (2 pcs)

How Does the Modular Auto Lock Mechanism Work?

Activation during Sterilization:

When the temperature inside the autoclave rises above a certain temperature the automatic locking mechanism on the container is triggered.

This activation causes the red moving locking shaft inside the mechanism to advance forward (just Picture 1).

The forward motion of this shaft effectively locks the lid's mechanism, preventing the lid from opening unexpectedly during sterilization.

Inactivation during aseptic presentation:

After the sterilization is complete and the container is removed from the autoclave, the mechanism cools down and the shaft stays in outwards position.

During the aseptic presentation, the red shaft can then be manually pushed back into the mechanism (just Picture 3) using a finger. Retracting the shaft unlocks the lid, allowing it to open.

Repetitive Use and Visual Indicators:


This procedure is repeated each time the container undergoes sterilization.

The mechanism also provides visual indicators:

An activated Autolock (just Picture1) signals that the container is in the midst of, or has the sterilization process.

A deactivated Autolock (just Picture 2) indicates that the container has been opened post-sterilization.


Picture 1 (Closed Position)



Picture 2



Picture 3



Picture 4



What Are The Advantages Of Modular Auto Lock Mechanism?

Cost-Effective and Versatile:

The reusable nature of this system makes it more economical compared to single-use plastic security seals.

Its modular design allows compatibility with various brand products, broadening its usability and appeal to a wide range of users.

Sustainable Solution:

In contrast to disposable items, the modular auto lock mechanism reduces environmental impact. The use of recyclable materials in its construction further enhances its eco-friendly credentials.

By eliminating the need for disposable plastic, this system aligns with sustainable practices, avoiding the ecological harm associated with plastic waste.

Operational Advantages:

The modular auto lock mechanism alleviates the burdens associated with disposable products, such as purchasing logistics, storage, and inventory management, ultimately reducing workload and costs.

It simplifies operations by removing the challenges faced with traditional security seals, like broken seal during transportation and storage. Hermann Müller modular auto lock mechanism not only optimizes sterilization procedures but also demonstrates our commitment to creating solutions that are economically viable and environmentally responsible.

WARNING: Please note that the movable shaft in our system is designed to be responsive solely to temperature changes. Under normal conditions, without the influence of temperature, it is not possible to activate or lock the mechanism into a locked position.

Our container systems equipped with the modular auto lock mechanism are also designed for use with plastic security seals when required. This dual functionality ensures versatility in securing contents.

Accessories

MODULAR
AUTO LOCK MECHANISM



Assembly And Disassembly Of Modular Auto Lock Mechanism

Assembly Process:

Picture 1



Locking clamp should be removed from the system before assembly.

Picture 2



Then it should be positioned top right label area as shown in the picture.

Picture 3



Once you have confirmed that the product is securely placed, the locking clamp should be inserted following the direction of the arrow.

Picture 4



Please ensure that the locking clamp is fully advanced to the end and is securely locked into place.




Disassembly Process:

For disassembling the modular auto lock mechanism, ensure it is in the deactivated position, as shown in Picture 2. Disassembly cannot be performed when the mechanism is in the activated position, shown in Picture 1.


Once you have verified that the modular auto lock mechanism is in the deactivated position, the locking clamp can be removed by pulling it backward, opposite to the locking direction.

Accessories

LABEL (Paper)



Pack of 100 pcs.



Pack of 100 pcs.



IDENTIFICATION LABELS (Aluminium)

| | | Colors | Code |
|--|--|--------|--------|
| | | Red | K2-700 |
| | | Blue | K2-701 |
| | | Green | K2-702 |
| | | Yellow | K2-703 |
| | | Grey | K2-704 |
| | | Black | K2-705 |
| | | Purple | K2-706 |
| | | Bronze | K2-707 |

Coloured identification labels, Engraved to your specifications
Maximum 16 letters



IDENTIFICATION (Aluminium)


Grey coloured recommended for use in Sterrad. Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.



LABEL HOLDER

| Colors | Code |
|--------|--------|
| | K2-560 |
| | K2-561 |
| | K2-562 |
| | K2-563 |
| | K2-564 |
| | K2-565 |
| | K2-566 |
| | K2-567 |

Dimension: 4.1 x 0.75 in



LABELS

| Colors | Code |
|--------|--------|
| | K2-570 |
| | K2-571 |
| | K2-572 |
| | K2-573 |
| | K2-574 |
| | K2-575 |
| | K2-576 |
| | K2-577 |

Dimension: 1.96 x 0.70 in

Coloured identification labels
Engraved to your specification



SECURITY SEAL



100 pcs. made of plastic



100 pcs. with number.
made of plastic




100 pcs. made of plastic




100 pcs. with number.
made of plastic




PAPER FILTER & FILTER RETAINER



Single-use, Pack of 100 pcs
No marking.



For 1/1, 3/4, 1/2, Extra Long,
Extra Large Size




Accessories

SILICONE MESH MATS

Our design ensures that surgical instruments are stored securely without slipping and allows for effective drying.

| Code | Dimension |
|--------|------------------|
| K2-530 | 9.45 x 9.84 in |
| K2-531 | 19.09 x 9.84 in |
| K2-533 | 21.02 x 9.72 in |
| K2-534 | 15.71 x 9.72 in |
| K2-535 | 20.75 x 13.15 in |
| K2-536 | 25.94 x 9.72 in |




SILICONE GASKET



| Code | Model | Dimension |
|--------|--------------------------------------|-----------|
| K3-953 | Silicone Gasket For 1/2 Lids | 40.01 in |
| K3-954 | Silicone Gasket For 3/4 Lids | 53.59 in |
| K3-955 | Silicone Gasket For 1/1 Lids | 63.43 in |
| K3-956 | Silicone Gasket For Extra Large Lids | 70.28 in |
| K3-957 | Silicone Gasket For Extra Long Lids | 72.91 in |

SILICONE FIXATION SYSTEM RAILS



| Code | Lenght |
|---------|----------------|
| K1-1601 | 9.43 x 0.35 in |
| K1-1602 | 6.30 x 0.35 in |
| K1-1603 | 4.90 x 0.35 in |
| K1-1604 | 3.61 x 0.35 in |
| K1-1605 | 2.87 x 0.35 in |
| K1-1606 | 0.93 x 0.35 in |

KEPS NUT



| Code |
|-----------|
| K1-680-02 |

(1 piece)

SCREW




| Code |
|-----------|
| K1-680-03 |

(1 piece)

Can be manufactured in any size demanded




| Code | Lenght | Height |
|---------|---------|---------|
| K12-100 | 9.80 in | 1.71 in |
| K12-101 | 6.58 in | 1.71 in |
| K12-102 | 5.56 in | 1.71 in |
| K12-145 | 4.42 in | 1.71 in |



With rail, screw and nut



| Code | Lenght | Height |
|---------|---------|---------|
| K12-109 | 9.37 in | 1.77 in |
| K12-110 | 4.33 in | 1.77 in |
| K12-111 | 4.41 in | 1.77 in |
| K12-148 | 3.03 in | 1.77 in |



With rail, screw and nut


Accessories

SILICONE FIXATION SYSTEM RAILS



With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-106 | 9.45 in | 1.79 in |
| K12-107 | 5.67 in | 1.79 in |
| K12-108 | 4.45 in | 1.79 in |
| K12-147 | 3.19 in | 1.79 in |




Actual Size



With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-103 | 9.49 in | 1.75 in |
| K12-104 | 5.91 in | 1.75 in |
| K12-105 | 4.72 in | 1.75 in |
| K12-146 | 3.54 in | 1.75 in |




Actual Size



Instruments holder, from \varnothing 0.12 - 0.31 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-112 | 7.13 in | 0.96 in |




Actual Size



Instruments holder, \varnothing 0.2 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-113 | 2.87 in | 0.92 in |




Actual Size



Instruments holder, \varnothing 0.12 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-114 | 2.87 in | 0.94 in |




Actual Size

SILICONE FIXATION SYSTEM RAILS



Instruments holder, Ø 0.12 -0.19 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-115 | 7.07 in | 1.34 in |




Actual Size



With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-116 | 4.84 in | 0.92 in |




Actual Size



With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-117 | 4.84 in | 0.86 in |




Actual Size



Instruments holder, from Ø 0.12 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-124 | 7.05 in | 0.94 in |




Actual Size



Instruments holder, Ø 0.2 in
With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-125 | 7.01 in | 0.94 in |




Actual Size

Accessories

SILICONE FIXATION SYSTEM RAILS



| Code | Lenght | Height |
|---------|---------|---------|
| K12-142 | 1.58 in | 0.86 in |




Actual Size



Ø 0.41 in With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-126 | 0.93 in | 1.02 in |




Actual Size



Ø 0.31 in With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-127 | 0.93 in | 1.02 in |




Actual Size



Ø 0.51 in With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-128 | 0.93 in | 1.02 in |




Actual Size



Ø 0.2 in With rail, screw and nut

| Code | Lenght | Height |
|---------|---------|---------|
| K12-129 | 0.93 in | 1.02 in |




Actual Size

SILICONE FIXATION SYSTEM RAILS



| Code | Length | Height |
|---------|---------|---------|
| K12-130 | 2.87 in | 1.34 in |

Endoscopy holder, double
 One side \varnothing 0.35 in open
 One side from \varnothing 0.12 - 0.31 in closed
 With rail, screw and nut




Actual Size



| Code | Length | Height |
|---------|---------|---------|
| K12-141 | 2.87 in | 1.34 in |

Endoscopy holder, double
 One side \varnothing 0.59 in open
 One side from \varnothing 0.12 - \varnothing 0.31 in closed
 With rail, screw and nut




Actual Size



| Code | Length | Height |
|---------|---------|---------|
| K12-131 | 3.61 in | 1.34 in |

Instruments holder,
 from \varnothing 0.12 - \varnothing 0.31 in
 With rail, screw and nut




Actual Size



| Code | Length | Height |
|---------|---------|---------|
| K12-132 | 2.80 in | 0.96 in |

Instruments holder,
 from \varnothing 0.12 - \varnothing 0.31 in
 With rail, screw and nut




Actual Size



| Code | Length | Height |
|---------|---------|---------|
| K12-133 | 1.50 in | 0.96 in |

Endoscopy holder, double one side
 from \varnothing 0.12 - \varnothing 0.31 in
 With rail, screw and nut




Actual Size



| Code | Length | Height |
|---------|---------|---------|
| K12-134 | 1.06 in | 1.34 in |

Endoscopy holder, single one side \varnothing 0.47 in open
 one side from \varnothing 0.12 - \varnothing 0.59 in
 With rail, screw and nut



Actual Size


Accessories

SILICONE FIXATION SYSTEM RAILS



| Code | Lenght | Height |
|---------|---------|---------|
| K12-135 | 1.50 in | 1.30 in |

Endoscopy holder, Ø 0.18 in closed
With rail, screw and nut




Actual Size



| Code | Lenght | Height |
|---------|---------|---------|
| K12-138 | 1.50 in | 1.30 in |

Endoscopy holder, Ø 0.47 in closed
With rail, screw and nut




Actual Size



| Code | Lenght | Height |
|---------|---------|---------|
| K12-136 | 1.50 in | 1.30 in |

Endoscopy holder, Ø 0.24 in closed
With rail, screw and nut




Actual Size



| Code | Lenght | Height |
|---------|---------|---------|
| K12-139 | 1.54 in | 1.34 in |

Endoscopy holder, Ø 0.47 in closed
With rail, screw and nut




Actual Size



| Code | Lenght | Height |
|---------|---------|---------|
| K12-137 | 1.50 in | 1.30 in |

Endoscopy holder, Ø 0.31 in closed
With rail, screw and nut




Actual Size



| Code | Lenght | Height |
|---------|---------|---------|
| K12-140 | 1.54 in | 1.34 in |

Endoscopy holder, Ø 0.59 in closed
With rail, screw and nut



Actual Size

HOLDERS & DIVIDERS & FIXATION CLAMP



| |
|-------------|
| Code |
| K2-650 |

Holding pin for divider




| |
|-------------|
| Code |
| K2-651 |

Holding pin for instruments




| |
|-------------|
| Code |
| K2-588 |

Fixation clamp



| Code | Lenght |
|--------|-----------------|
| K2-645 | 2.01 x 0.79 in |
| K2-646 | 5.18 x 0.79 in |
| K2-647 | 8.84 x 0.79 in |
| K2-648 | 18.13 x 0.79 in |

DIVIDERS



| | |
|-------------|-----------------|
| Code | Diameter |
| K2-580 | 1.02 x 0.25 in |



| | |
|-------------|-----------------|
| Code | Diameter |
| K2-581 | 1.14 x 0.31 in |



| | |
|-------------|-----------------|
| Code | Diameter |
| K2-582 | 1.24 x 0.59 in |



| | |
|-------------|-----------------|
| Code | Diameter |
| K2-583 | 1.60 x 1.03 in |



| | |
|-------------|-----------------|
| Code | Diameter |
| K2-584 | 1.72 x 1.29 in |

Accessories

HOLDERS & DIVIDERS & FIXATION CLAMP



| Code | Dimension |
|--------|-----------------------|
| K2-600 | 1.57 x 0.69 x 0.24 in |

DIVIDER (use with K2-601 and K2-602)



| Code | Dimension |
|--------|-----------------|
| K2-601 | 9.06 x 0.88 in |
| K2-602 | 18.44 x 0.88 in |

Sliding rails with securing screws



| Code | Dimension |
|--------|-----------------|
| K2-604 | 9.06 x 0.88 in |
| K2-605 | 18.44 x 0.88 in |

Limiting bar, with security screws


Spiral holding device



| Code | Dimension |
|--------|----------------|
| K2-607 | 9.11 x 1.20 in |



| Code | Dimension |
|--------|----------------|
| K2-609 | 4.55 x 1.18 in |



| Code | Dimension |
|--------|-----------------|
| K2-615 | 4.37 x 0.69 in |
| K2-616 | 6.77 x 0.69 in |
| K2-617 | 9.07 x 0.69 in |
| K2-618 | 18.48 x 0.69 in |

Limiting bar




| Code | Dimension |
|--------|----------------|
| K2-622 | 8.72 x 1.18 in |

Spiral holding



| Code | Dimension |
|--------|----------------|
| K2-625 | 5.07 x 1.18 in |

Spiral holding



| Code |
|--------|
| K2-620 |

Spiral holding



Index

| Code | Page | Code | Page | Code | Page | Code | Page | Code | Page |
|-----------|------|---------|------|---------|------|---------|------|---------|------|
| K1-680-02 | 41 | K2-650 | 47 | K3-1070 | 32 | K6-636D | 22 | K6-3371 | 15 |
| K1-680-03 | 41 | K2-651 | 47 | K3-1073 | 32 | K6-637D | 22 | K6-3372 | 15 |
| K1-900 | 34 | K2-660 | 39 | K3-1079 | 32 | K6-1418 | 25 | K6-3373 | 15 |
| K1-1601 | 41 | K2-661 | 39 | K3-1707 | 31 | K6-1419 | 25 | K6-3374 | 15 |
| K1-1602 | 41 | K2-664 | 39 | K6-100 | 12 | K6-1420 | 25 | K6-3375 | 15 |
| K1-1603 | 41 | K2-665 | 39 | K6-100D | 20 | K6-1421 | 25 | K6-3376 | 15 |
| K1-1604 | 41 | K2-672A | 38 | K6-101 | 12 | K6-1422 | 25 | K6-3377 | 15 |
| K1-1605 | 41 | K2-673A | 38 | K6-101D | 20 | K6-1423 | 25 | K6-3410 | 13 |
| K1-1606 | 41 | K2-700 | 38 | K6-102 | 12 | K6-1424 | 25 | K6-3411 | 13 |
| K2-301 | 31 | K2-701 | 38 | K6-102D | 20 | K6-1425 | 25 | K6-3412 | 13 |
| K2-302 | 31 | K2-702 | 38 | K6-103 | 12 | K6-1665 | 24 | K6-3413 | 13 |
| K2-303 | 31 | K2-703 | 38 | K6-103D | 20 | K6-1666 | 24 | K6-3414 | 13 |
| K2-440 | 31 | K2-704 | 38 | K6-104 | 12 | K6-1667 | 24 | K6-3415 | 13 |
| K2-450 | 30 | K2-705 | 38 | K6-104D | 20 | K6-1680 | 24 | K6-3416 | 13 |
| K2-451 | 30 | K2-706 | 38 | K6-105 | 12 | K6-1681 | 24 | K6-3417 | 13 |
| K2-452 | 30 | K2-707 | 38 | K6-106 | 12 | K6-1682 | 24 | K6-3630 | 14 |
| K2-453 | 30 | K2-720 | 39 | K6-107 | 12 | K6-1683 | 24 | K6-3631 | 14 |
| K2-460 | 30 | K2-741A | 39 | K6-108 | 12 | K6-1684 | 24 | K6-3632 | 14 |
| K2-461 | 30 | K2-993 | 32 | K6-109 | 12 | K6-1685 | 24 | K6-3633 | 14 |
| K2-462 | 30 | K2-995 | 32 | K6-120D | 20 | K6-1686 | 24 | K6-3634 | 14 |
| K2-463 | 30 | K2-1500 | 30 | K6-121D | 20 | K6-1687 | 24 | K6-3635 | 14 |
| K2-482 | 31 | K2-1501 | 30 | K6-122D | 20 | K6-1770 | 25 | K6-3636 | 14 |
| K2-490 | 30 | K2-1502 | 30 | K6-123D | 20 | K6-1771 | 25 | K6-3637 | 14 |
| K2-491 | 30 | K2-1503 | 30 | K6-124D | 20 | K6-1775 | 25 | K6-3700 | 14 |
| K2-492 | 30 | K2-1522 | 31 | K6-125D | 20 | K6-1776 | 25 | K6-3701 | 14 |
| K2-493 | 30 | K2-1701 | 31 | K6-126D | 20 | K6-1780 | 25 | K6-3702 | 14 |
| K2-530 | 40 | K2-1702 | 31 | K6-127D | 20 | K6-1781 | 25 | K6-3703 | 14 |
| K2-531 | 40 | K2-1703 | 31 | K6-300 | 13 | K6-1782 | 25 | K6-3704 | 14 |
| K2-533 | 40 | K3-307 | 31 | K6-300D | 21 | K6-1783 | 25 | K6-3705 | 14 |
| K2-534 | 40 | K3-611 | 32 | K6-301 | 13 | K6-1784 | 25 | K6-3706 | 14 |
| K2-535 | 40 | K3-705 | 29 | K6-301D | 21 | K6-1785 | 25 | K6-3707 | 14 |
| K2-536 | 40 | K3-706 | 29 | K6-302 | 13 | K6-1786 | 25 | K12-100 | 41 |
| K2-560 | 38 | K3-707 | 29 | K6-302D | 21 | K6-1787 | 25 | K12-101 | 41 |
| K2-561 | 38 | K3-708 | 29 | K6-303 | 13 | K6-2000 | 15 | K12-102 | 41 |
| K2-562 | 38 | K3-709 | 29 | K6-303D | 21 | K6-2001 | 15 | K12-103 | 42 |
| K2-563 | 38 | K3-710 | 29 | K6-305 | 13 | K6-2002 | 15 | K12-104 | 42 |
| K2-564 | 38 | K3-711 | 29 | K6-306 | 13 | K6-2005 | 15 | K12-105 | 42 |
| K2-565 | 38 | K3-712 | 29 | K6-307 | 13 | K6-2006 | 15 | K12-106 | 42 |
| K2-566 | 38 | K3-713 | 29 | K6-308 | 13 | K6-2007 | 15 | K12-107 | 42 |
| K2-567 | 38 | K3-714 | 29 | K6-340D | 21 | K6-3120 | 12 | K12-108 | 42 |
| K2-570 | 38 | K3-740 | 28 | K6-341D | 21 | K6-3121 | 12 | K12-109 | 41 |
| K2-571 | 38 | K3-741 | 28 | K6-342D | 21 | K6-3122 | 12 | K12-110 | 41 |
| K2-572 | 38 | K3-742 | 28 | K6-343D | 21 | K6-3123 | 12 | K12-111 | 41 |
| K2-573 | 38 | K3-743 | 28 | K6-344D | 21 | K6-3124 | 12 | K12-112 | 42 |
| K2-574 | 38 | K3-744 | 28 | K6-345D | 21 | K6-3125 | 12 | K12-113 | 42 |
| K2-575 | 38 | K3-745 | 28 | K6-346D | 21 | K6-3126 | 12 | K12-114 | 42 |
| K2-576 | 38 | K3-746 | 28 | K6-347D | 21 | K6-3127 | 12 | K12-115 | 43 |
| K2-577 | 38 | K3-747 | 28 | K6-400 | 16 | K6-3230 | 12 | K12-116 | 43 |
| K2-580 | 47 | K3-748 | 28 | K6-401 | 16 | K6-3231 | 12 | K12-117 | 43 |
| K2-581 | 47 | K3-749 | 28 | K6-402 | 16 | K6-3232 | 12 | K12-124 | 43 |
| K2-582 | 47 | K3-750 | 28 | K6-403 | 16 | K6-3233 | 12 | K12-125 | 43 |
| K2-583 | 47 | K3-751 | 28 | K6-600 | 14 | K6-3234 | 12 | K12-126 | 44 |
| K2-584 | 47 | K3-752 | 28 | K6-600D | 22 | K6-3235 | 12 | K12-127 | 44 |
| K2-588 | 47 | K3-753 | 28 | K6-601 | 14 | K6-3236 | 12 | K12-128 | 44 |
| K2-600 | 48 | K3-754 | 28 | K6-601D | 22 | K6-3237 | 12 | K12-129 | 44 |
| K2-601 | 48 | K3-755 | 28 | K6-602 | 14 | K6-3315 | 16 | K12-130 | 45 |
| K2-602 | 48 | K3-760 | 28 | K6-602D | 22 | K6-3316 | 16 | K12-131 | 45 |
| K2-604 | 48 | K3-761 | 28 | K6-603 | 14 | K6-3326 | 16 | K12-132 | 45 |
| K2-605 | 48 | K3-762 | 28 | K6-603D | 22 | K6-3327 | 16 | K12-133 | 45 |
| K2-607 | 48 | K3-763 | 28 | K6-604 | 14 | K6-3328 | 16 | K12-134 | 45 |
| K2-609 | 48 | K3-766 | 29 | K6-604D | 22 | K6-3329 | 16 | K12-135 | 46 |
| K2-615 | 48 | K3-767 | 29 | K6-605 | 14 | K6-3330 | 16 | K12-136 | 46 |
| K2-616 | 48 | K3-768 | 29 | K6-606 | 14 | K6-3331 | 16 | K12-137 | 46 |
| K2-617 | 48 | K3-953 | 40 | K6-607 | 14 | K6-3340 | 13 | K12-138 | 46 |
| K2-618 | 48 | K3-954 | 40 | K6-608 | 14 | K6-3341 | 13 | K12-139 | 46 |
| K2-620 | 48 | K3-955 | 40 | K6-609 | 14 | K6-3342 | 13 | K12-140 | 46 |
| K2-622 | 48 | K3-956 | 40 | K6-630D | 22 | K6-3343 | 13 | K12-141 | 45 |
| K2-625 | 48 | K3-957 | 40 | K6-631D | 22 | K6-3344 | 13 | K12-142 | 44 |
| K2-645 | 47 | K3-1014 | 30 | K6-632D | 22 | K6-3345 | 13 | K12-145 | 41 |
| K2-646 | 47 | K3-1024 | 30 | K6-633D | 22 | K6-3346 | 13 | K12-146 | 42 |
| K2-647 | 47 | K3-1034 | 30 | K6-634D | 22 | K6-3347 | 13 | K12-147 | 42 |
| K2-648 | 47 | K3-1045 | 30 | K6-635D | 22 | K6-3370 | 15 | K12-148 | 41 |



Headquarter

Hermann Müller Medizintechnik GmbH
Dr. Karl-Storz-Strasse 3 •
78532 Tuttlingen • Germany

T : +49 (0) 7461 4125
F : +49 (0) 7461 79263

Factory

Kerimbeyosb Mah.
Yaşardođu Cad. No: 76/1
55330, Tekkeköy/Samsun/Türkiye

www.hermannmuller.com
info@hermannmuller.com

All rights reserved. No part of this catalog may be reproduced, copied, or published in any form without the written permission of Hermann Müller.